This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ :		(11)) International Publication Numbe	r:	WO 93/22017
A63F 9/22, G09F 23/14	A1	(43)) International Publication Date:	11 Nove	mber 1993 (11.11.93)
(21) International Application Number: PCT/GB (22) International Filing Date: 30 April 1993			Published With international search i	report.	
(30) Priority data: 9209572.8 2 May 1992 (02.05.92)	(GB			
(71)(72) Applicant and Inventor: SMITH, Donald, Geo AUJ; BM/LHBD, Monomark, London WC (AU).					
(74) Agent: WEITZEL, David, S.; Batchellor, Kirk Pear Tree Court, Farringdon Road, London EC (GB).					
(81) Designated States: AT, AU, BB, BG, BR, CA, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD UA, US, European patent (AT, BE, CH, DE, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), (tent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, SN, TD, TG).	LU, M , SE, S DK, I OAPI	IG, SK, ES, pa-			•
(54) Title: APPARATUS FOR VIDEO GAMES AN	D AD	VER'	TISING SEQUENCES		

(57) Abstract

Apparatus is disclosed for playing a game in which a player representative unit has the opportunity to perform simulated tasks. The apparatus is arranged to present one or more advertising sequences of video pictures advertising goods or services other than to play the game. The advertisements may with advantage relate in some way to the game and can be presented as a part of the environment in which the player representative unit performs the simulated tasks.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

			·		Mauritania
AT	Austria	FR	France	MR	
AU	Australia	GA	Gabon	MW	Malawi
EB.	Barbados ·	GB	United Kingdom	NL	Netherlands
皇皇	Belgium	CN	Ouinea	NO	Norway
B F	Burkina Faso	GR	Greece ·	NZ	New Zealand
BC	Bulgaria	HU	Hungary	PL	Poland
BJ	. Benin ·	IE	Ircland	PT	Portugal
9R	Brazil	fΤ	italy	RO	Romania
CA	Canada	· JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CC	Congo	-	of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	- SK	Slovak Republic
CI	Côte d'Ivoire	KZ	Kazakhstan	SN	Senegal
CM	Camuroon	LI	Liechtenstein	SU	Soviet Union .
cs	Ozechoslovakla -	LK	Sri Lanka	TD	Chad
ā	Czech Republic	LU	Luxembourg	TC	Togo
DB	Germany	MC	Monaco	UA	Ukraine
DK	Denmark	MG	Madagascar	US	United States of America
es	Spain	MI.	Mali	VN.	Vict Nam
FI	Finland	MN	Mongolia		•

Apparatus for video games and advertising sequences

This invention relates to apparatus for playing a game.

The invention is particularly concerned with apparatus for playing a game of the type having control means (e.g. a joystick) manipulable by a player to provide control signal, and display means (e.g. a dedicated computer and video display unit) for presenting a player with video pictures simulating real or imaginary situations in which a player representative unit is controlled by the control signals, the player representative unit having the opportunity to perform simulated tasks.

In accordance with the invention, such an apparatus is arranged to present one or more advertising sequences of video pictures advertising goods or services other than to play the game.

In one arrangement, a said sequence is presented on completion of a task, or the gain or loss of a point in a scoring system in the game or the completion of a set time.

In another, additional or alternative arrangement, the tasks are performed in the face of a plurality of simulated obstacles and in which the player representative unit has one or more lives liable to loss in overcoming the obstacles, the sequence being presented when the player representative unit looses a life.

The advertisements may with advantage relate in some way

to the gam . For example, having lost a lif , the player may be encouraged to rebuild her or his strength with s and so product.

In a yet further additional or alternative arrangement, a sequence is presented as a part of the environment in which the player representative unit performs the simulated tasks, for example, the sequence may present a simulation of an advertising hoarding.

In order to allow the owners of the apparatus to charge conveniently for the presentation of adverts, the video data relating to one or more adverts may be contained in one ore more removable data store units.

Most preferably, the or each removable data store unit includes a read only replaceable memory unit in which data for the one or more advertising sequences are stored.

A memory unit containing an advert can thus simply be plugged into the machine for a period for which payment has been made and removed thereafter.

Alternatively, the or each removable data store may include data for preventing its operation more than a predetermined number of times or after a predetermined date or time, so that removal can be at the convenience of the owner of the apparatus.

The apparatus may be arranged to present advertising sequence or sequences when the game is not being played.

One embodiment of the invention will now be described, by way of example, with reference to the accompanying drawing which shows schematically apparatus

emb dying the invention.

Ref rring to th drawings, the apparatus has a video display unit 2 to which video signals are supplied by a central processing unit (CPU) 4. A program which determines operation of the CPU is stored in a program store 6 which may be read only memory or a disc or tape store in which latter case the CPU includes memory into which the program is loaded for operation.

In order to enable a player to interact with the apparatus, a key board, key pad or in this case a joystick 8 is provided. This is manipulated by the player to provide control signals to the CPU.

In operation, the CPU provides video signals to the VDU to present a player with moving video pictures simulating real or imaginary situations in which a player representative unit is controlled by the control signals. The player representative unit may be the figure of a real or imaginary character in the game, for example. In the game the player representative unit has as an objective to perform simulated tasks. There may be a plurality of simulated obstacles. A task might be to rescue another character, or find some object. The obstacles might be other offensive characters who attack the player representative unit which has one or more lives liable to loss in overcoming the obstacles.

When a life is lost the game may terminate.

Usually, however, the player representative unit has a number of lives which have to be lost before the game is

terminat d. In s me games, lives may be regained or replenished.

At the point a life is lost, it has been proposed for the program to enter a routine which displays some simulated effect, e.g. an explosion, and to decrement the number of lives. The present invention now proposes to display a video advertisement. To this end a separate video store 10 is provided containing data which when addressed by the CPU is arranged to present one or more advertising sequences of video pictures advertising goods or services. The advertisements may with advantage relate in some way to the game. For example, having lost a life, the player may be encouraged to rebuild her or his strength with so and so product, "never mind have a Coke and try again".

In other arrangements the game may be a race, e.g. a motor race, the task being to win; a team game e.g. soccer, the task again being to win; flight simulation, the task being to fly safely from one point to another or to complete a circuit of an airfield, and so on. The advertising sequence may be presented on completion of a task, e.g. having won the race or game of soccer, or having completed a successful flying mission. The sequence may be presented on gaining or loosing a point in a scoring system in the game, e.g. scoring a goal in a game of soccer.

The video image presented to the player may contain advertisements as a part of the environment in which the player representative unit performs. For example, as in real life, an advertising h arding may be presented by a

simulated road. In a game performed in an arena, e.g. soccer, the perimeter of the arena may pres nt advertisements.

The video store preferably includes a read only memory and is removable as a unit so that adverts may be paid for and displayed for a period, then removed or replaced. Each read only memory unit may contain one or more adverts. In an alternative, the video store may also be a disc store in which case the CPU preferably includes memory into which the video data is loaded during operation. In either case, the video store may include data which prevents the or an advert from being presented in accordance with some predetermined criterion such as the date or the number of times the advert has been presented. In the case of a disc store, the CPU is responsive to that data, but in the case of a read only memory, that could alternatively be provided on a board with circuitry responsive to the data.

In another alternative, the video store also contains a program to which control of the CPU is handed when a life has been lost. The advert or adverts then run under control of their own program and control is handed back to the main game program when the advert program has run. That provides greater flexibility since the video data does not need a particular format to suit the particular game program.

It is usual for the games apparatus to display a title or introductory sequence when no one is playing the game. The present apparatus is also arranged to present the

advertising s quence r sequ nces alternating with the game's own title or introductory sequence.

In a further example the advertising sequence or sequences may be down loaded from a central computer, thus being replaceable by under control of a manager. The central computer may be remote, controlling a plurality of games apparatus by connections via telephone lines or other transmission media.

CLAIMS


- 1. Apparatus for playing a game, comprising: control means manipulable by a player to provide control signals, display means for presenting a player with video pictures simulating real or imaginary situations in which a player representative unit is controlled by control signals, the player representative unit having the opportunity to perform simulated tasks in the game, wherein the apparatus is arranged to present one or more advertising sequences of video pictures advertising goods or services other than to play the game.
- a said sequence is presented on completion of a task, or the gain or loss of a point in a scoring system in the game or the completion of a set time.
- Apparatus as claimed in claim 1, wherein the tasks are performed in the face of a plurality of simulated obstacles and in which the player representative unit has one or more lives liable to loss in overcoming the obstacles, the sequence being presented when the player representative unit looses a life.
- 4. Apparatus as claimed in claim 1, wherein a sequence is presented as a part of the environment in which the player representative unit performs the simulated tasks.
 - 5. Apparatus as claimed in claim 4, wherein

Ü

th sequence presents a simulation of an adv rtising hoarding.

- 6. Apparatus as claimed in claim 1, including one or more removable data store units each containing video information for one or more advertising sequences.
- 7. Apparatus as claimed in claim 6, wherein the or each removable data store unit includes read only memory in which data for the one or more advertising sequences are stored.
- 8. Apparatus as claimed in claim 6, wherein the or each removable data store includes data for preventing its operation more than a predetermined number of times or after a predetermined date or time.
- 9. Apparatus as claimed in claim 7, wherein the or each removable data store includes data for preventing its operation more than a predetermined number of times or after a predetermined date or time.
- 10. Apparatus as claimed in claim 1, arranged to present the advertising sequence or sequences when the game is not being played.

1/1



International Application No

I. CLASSI	IFICATION OF SUBJ	ECT MATTER (If several classification s	embols apply indicate aIDE		
		t Classification (IPC) or to both National C			
	. 5 A63F9/22		and st C		
		,			
II. FIELD	S SEARCHED				
		Minimum Docume	Mention Separah al?		
Classifica	ition System	T	Classification Symbols		
			Classification Sympos		
Int.C1	. 5	A63F : G09F	·		
ł					
		Documentation Searched other	the Minimum Dear market		
		to the Extent that such Documents			
					
III. DOCU	MENTS CONSIDERE	D TO BE RELEVANT			
Category o	Citation of Do	cument, ¹¹ with indication, where appropris	ite, of the relevant passages 12	Relevant to Claim No.13	
.,					
X		141 907 (M. GILMORE ET.	AL.)	1-3,6-10	
A	3 Januar	ry 1985		4,5	
	see page	e 1, line 23 - line 82		7,5	
	see page				
	see page	line 11			
	see figu	res 3,4			
X	DE.A.3 0	048 393 (DYNAMICS MARKE	TING GMBH)	1-3,6-10	
_	22 July		,		
A				4,5	
		e 4, line 1 - page 5, l e 5, line 35 - page 7,			
	Jee page	. o, time oo page /,	Time 31		
A		009 426 (AUXIER)		4,5	
	23 April		0.11		
		µmn 1, line 64 - column µmn 3, line 39 - line 6:			
		umn 9, line 42 - line 48			
			 		
	il categories of cited doc	ruments : ¹⁰ eral state of the art which is not	"T" later document published after the internal or priority date and not in conflict with the	e application but	
COI	asidered to be of particu	iar relevance	cited to understand the principle or theory invention	underlying the	
"E" earlier document but published on or after the international filing date "X" document of particular relevance; the claimed invention cannot be considered as ovel or cannot be considered to					
"L" document which may throw doubts on priority claim(s) or involve an inventive step which is cited to establish the publication date of another "V" document of particular relevance: the claim					
citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or document is combined with one or more of				ve step when the	
Oth	er means		ments, such combination being obvious to in the art.		
	cr than the priority date	o the international filing date but daimed	"A" document member of the same patent fam	ily	
IV. CERTI	FICATION				
Date of the	Actual Completion of the	he International Search	Date of Mailing of this International Searce	h Report	
				,	
·			2 1. 07. 93		
Internationa	I Searching Authority		Signature of Authorized Officer		
	EUROPEA	N PATENT OFFICE	WENTZEL J.F.		
				·	

Form PCT/ISA/210 (second short) (January 1985

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

9300905 GB SA· 73473

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

07/07/93

47

Patent document cited in search report	Publication date	Patent rocmi	family per(s)	Publication date	
GB-A-2141907	03-01-85	None		<u> </u>	
DE-A-3048393	22-07-82	None			
US-A-5009426	23-04-91	AU-B- AU-A- WO-A-	618518 8176187 8803042	02-01-92 25-05-88 05-05-88	
•		GB-A,B JP-T- US-A-	2218915 2500719 4758000	29-11-89 15-03-90 19-07-88	
-			•.		
				,	
•					
		•			
				* -•	
	, :		:		
	•				
·					
			•		
,		•			
	,		•		
٠.	·			•	
		,			
		•		•	
	. •	:			
more details about this annex : se					
more details about this annex : su	o Official Journal of the Fuer	Patent Office	NI. 49/07		